





# **ADVANCES on ARTIFICIAL INTELLIGENCE, KNOWLEDGE ENGINEERING and DATA BASES**

**Proceedings of the 7th WSEAS International Conference on  
ARTIFICIAL INTELLIGENCE, KNOWLEDGE  
ENGINEERING and DATA BASES (AIKED'08)**

**University of Cambridge, Cambridge, UK, February 20-22, 2008**

*Artificial Intelligence Series  
A Series of Reference Books and Textbooks*

**Published by WSEAS Press**  
[www.wseas.org](http://www.wseas.org)

**ISBN: 978-960-6766-41-1**

**ISSN: 1790-5109**

# **ADVANCES on ARTIFICIAL INTELLIGENCE, KNOWLEDGE ENGINEERING and DATA BASES**

**Proceedings of the 7th WSEAS International Conference on  
ARTIFICIAL INTELLIGENCE, KNOWLEDGE  
ENGINEERING and DATA BASES (AIKED'08)**

**University of Cambridge, Cambridge, UK, February 20-22, 2008**

*Artificial Intelligence Series  
A Series of Reference Books and Textbooks*

Published by WSEAS Press  
[www.wseas.org](http://www.wseas.org)

**Copyright © 2008, by WSEAS Press**

All the copyright of the present book belongs to the World Scientific and Engineering Academy and Society Press. All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of the Editor of World Scientific and Engineering Academy and Society Press.

All papers of the present volume were peer reviewed by two independent reviewers. Acceptance was granted when both reviewers' recommendations were positive.  
See also: <http://www.worldses.org/review/index.html>

**ISBN: 978-960-6766-41-1  
ISSN: 1790-5109**



World Scientific and Engineering Academy and Society

# **ADVANCES on ARTIFICIAL INTELLIGENCE, KNOWLEDGE ENGINEERING and DATA BASES**

## **Proceedings of the 7th WSEAS International Conference on ARTIFICIAL INTELLIGENCE, KNOWLEDGE ENGINEERING and DATA BASES (AIKED'08)**

**University of Cambridge, Cambridge, UK, February 20-22, 2008**

### **Honorary Editors:**

Lotfi A. Zadeh, University of Berkeley, USA

Janusz Kacprzyk, International Fuzzy Systems Association, Poland

### **Editors:**

Leonid Kazovsky, Stanford University, USA

Pierre Borne, Ecole Centrale de Lille, France

Nikos Mastorakis, Military Institutes of University Education, HNA, Greece

Angel Kuri-Morales, Instituto Tecnológico Autónomo de México, Mexico

Ioannis Sakellaris, National Technical University of Athens, Greece

**International Program Committee Members:**

Cuauhtemoc Rodriguez, University of Cambridge, Cambridge, UK

Gehan A.J. Amaratunga, University of Cambridge, Cambridge, UK

Lotfi A. Zadeh, Univ. of Berkeley, USA

Leonid Kazovsky, Univ. of Stanford, USA

Charles Long, University of Wisconsin, USA

Katia Sycara, Carnegie Mellon University, USA

Nikos E. Mastorakis, Military Inst. of University Education (ASEI), HNA, GREECE

Ing. Roberto Revetria, Univ. degli Studi di Genova, USA

M. Isabel Garcia-Planas, Univ. of Barcelona, SPAIN

Miguel Angel Gomez-Nieto, University of Cordoba, SPAIN

Akshai Aggarwal, University of Windsor, CANADA

Pierre Borne, Ecole Centrale de Lille, FRANCE

Octavian Cret, Technical University of Cluj-Napoca, ROMANIA

Valeri Mladenov, Technical University of Sofia, Bulgaria

Zoran S. Bojkovic, University of Belgrade, SERBIA

G. Stavrakakis, Technical Univ. of Crete, GREECE

Janusz Kacprzyk, International Fuzzy Systems Association, POLAND

Angel Fernando Kuri Morales, Univ. of Mexico City, MEXICO

Arie Maharshak, ORT Braude College, ISRAEL

Fumiaki Imado, Shinshu University, JAPAN

Simona Lache, University Transilvania of Brasov, ROMANIA

Toly Chen, Feng Chia University, TAIWAN

Isak Taksa, The City University of New York, USA

G. R. Dattatreya, University of Texas at Dallas, USA

Shivanand Hiremath, NITIE, Mumbai, INDIA

## **Preface**

This book contains proceedings of the 7th WSEAS International Conference on ARTIFICIAL INTELLIGENCE, KNOWLEDGE ENGINEERING and DATA BASES (AIKED'08) which was held in University of Cambridge, Cambridge, UK, and February 23-25, 2008. The WSEAS ARTIFICIAL INTELLIGENCE, KNOWLEDGE ENGINEERING and DATA BASES Conference started in Cadiz, Spain, in 2002 then held in Rethymno, Greece 2003. It proceeded twice in Salzburg, Austria in 2004 and 2005. It also held in Corfu, Greece in 2007 and this year in University of Cambridge, Cambridge, UK. The Society (WSEAS) has also organized many other separate or joint conferences on Artificial and Computational Intelligence Knowledge Mining, Knowledge management, Data Bases, Software Tools, Man-Machine Systems, Cybernetics etc as well as their impact and their interaction with other areas of Electrical Engineering and Computer Science and Engineering. The relevant titles could be retrieved from the web site: [www.worldses.org/history.htm](http://www.worldses.org/history.htm)

The 7th WSEAS International Conference on ARTIFICIAL INTELLIGENCE, KNOWLEDGE ENGINEERING and DATA BASES (AIKED'08) aims to disseminate the latest research and applications in the afore mentioned fields. The friendliness and openness of the WSEAS conferences, adds to their ability to grow by constantly attracting young researchers. The WSEAS Conferences attract a large number of well-established and leading researchers in various areas of Science and Engineering as you can see from <http://www.wseas.org/reports>. Your feedback encourages the society to go ahead as you can see in <http://www.worldses.org/feedback.htm>

The contents of this Book are also published in the CD-ROM Proceedings of the Conference. Both will be sent to the WSEAS collaborating indices after the conference: [www.worldses.org/indexes](http://www.worldses.org/indexes)

In addition, papers of this book are permanently available to all the scientific community via the WSEAS E-Library.

Expanded and enhanced versions of papers published in these conference proceedings are also going to be considered for possible publication in one of the WSEAS journals that participate in the major International Scientific Indices (Elsevier, Scopus, EI, Compendex, INSPEC, CSA .... see: [www.worldses.org/indexes](http://www.worldses.org/indexes)) these papers must be of high-quality (break-through work) and a new round of a very strict review will follow. (No additional fee will be required for the publication of the extended version in a journal).

We cordially thank all the people of WSEAS for their efforts to maintain the high scientific level of conferences, proceedings and journals.

The Editors



## TABLE OF CONTENTS

<b>Plenary Lecture I: Toward Human-Level Machine Intelligence</b> <i>Lotfi A. Zadeh</i>	15
<b>Plenary Lecture II: Decision support systems, human centric/centered computing, and computing with words: a synergistic combination?</b> <i>Janusz Kacprzyk</i>	17
<b>Plenary Lecture III: Clustering with an N-Dimensional Extension of Gielis Superformula</b> <i>Angel Kuri-Morales</i>	18
<b>Plenary Lecture IV: Data Mining through Data Visualisation: Computational Intelligence Approaches</b> <i>Colin Fyfe</i>	19
<b>Plenary Lecture V: Formalisation and Verification in a Type-theoretic Framework</b> <i>Zhaohui Luo</i>	20
<b>Plenary Lecture VI: Probability Measures of Fuzzy Events and Linguistic Fuzzy Modelling - Forms Expressing Randomness and Imprecision</b> <i>Anna Walaszek-Babiszewska</i>	21
<b>PART I: ARTIFICIAL INTELLIGENCE</b>	
<b>Evaluating approximations generated by the GNG3D method for mesh simplification</b> <i>Pedro Navarro, Leandro Tortosa, Antonio Zamora, Jose F. Vicent</i>	25
<b>Dirichlet process mixture models for finding shared structure between two related data sets</b> <i>Gayle Leen, Colin Fyfe</i>	31
<b>Automatic Extraction of Important Sentences from Story Based on Connecting Patterns of Propositions</b> <i>Hideji Enokizu, Satoshi Murakami, Moriaki Kumasaka, Kazuhiro Uenosono, Seiichi Komiya</i>	41
<b>Proposed Framework to Manage Cognitive Load in Computer Program Learning</b> <i>Muhammed Yousoof , Mohd Sapiyan , K.Ramasmy</i>	50
<b>A hybrid GA &amp; Back Propagation Approach for gene selection and classification of microarray data</b> <i>Omid Khayat, Hamid Reza Shahdoosti, Ahmad Jaberi Motlagh</i>	56



<b>Identifying Psycho-Social Fingerprints in Medical and Engineering Documents</b>	62
<i>Mateja Verlic, Gregor Stiglic, Peter Kokol</i>	
<b>Application and comparison of several artificial neural networks for forecasting the Hellenic daily electricity demand load</b>	67
<i>L. Ekonomou, D.S. Oikonomou</i>	
<b>Huge scale feature selection using GA with special fitness function</b>	72
<i>Omid Khayat, Hamid Reza Shahdoosti, Ahmad Jaberi Motlagh</i>	
<b>Computer Recognition of Aesthetics in a Zero-sum Perfect Information Game</b>	78
<i>Azlan Iqbal, Mashkuri Yaacob</i>	
<b>Framework for extracting rotation invariant features for image classification and an application using haar wavelets</b>	89
<i>Santiago Akle, Maria-Elena Algorri, Marc Zimmermann</i>	
<b>Case Based Reasoning for Predicting Multi-Period Financial Performances of Technology-based SMEs</b>	95
<i>Tae Hee Moon, So Young Sohn</i>	
<b>Enhancing the Security of E-Government Portals using Biometric Voice along with a Traditional Password</b>	101
<i>Khalid T. Al-Sarayreh, Rafa E. Al-Qutaish</i>	
<b>An overview on Model-Based approaches in face recognition</b>	109
<i>Omid Khayat, Hamid Reza Shahdoosti, Ahmad Jaberi Motlagh</i>	
<b>Artificial Societies: a new paradigm for complex systems modelling</b>	116
<i>Monica Dascalu, Eduard Franti, Gheorghe Stefan, Lucian Milea</i>	
<b>Characteristics Analysis for Small Data Set Learning and the Comparison of Classification Methods</b>	122
<i>Fengming M. Chang</i>	
<b>Modeling Production with Artificial Societies: the Emergence of Social Structure</b>	128
<i>Monica Dascalu, Eduard Franti, Gheorghe Stefan, Lucian Milea</i>	
<b>An All Closed Set Finding Algorithm for Data Mining</b>	135
<i>Rein Kuusik, Grete Lind</i>	
<b>Strategies for advancing the status of women scientists and engineers in Korea</b>	142
<i>JongHa Lee, SoYoung Sohn</i>	

<b>Routing Framework for FTIMA – A Fault Tolerance Infrastructure for Mobile Agents</b>	148
<i>Kiran Ijaz, Umar Manzoor, Arshad Ali Shahid</i>	
<b>Optimizing Bandwidth Usage and Supporting Block Level Synchronizing in MultiSync – A MultiAgent System for Ubiquitous File Synchronization</b>	154
<i>Umar Manzoor, Kiran Ijaz</i>	
<b>Using Genetic Programming &amp; Neural Networks for learner evaluation</b>	160
<i>John Vrettaros, John Pavlopoulos, George Vouros, Athanasios S. Drigas</i>	
<b>State Space Optimization Using Plan Recognition and Reinforcement Learning on RTS Game</b>	165
<i>Jaeyong Lee, Bonjung Koo and Kyungwhan Oh</i>	
<b>A multi-agent Cooperative Model for Crisis Management System</b>	170
<i>Abeer El-Korany Khaled El-Bahnasy</i>	
<b>Topology perserving mappings using cross entropy adaptation</b>	176
<i>Ying Wu and Colin Fyfe</i>	
<b>Customer Pattern Search for A/S Association in Manufacturing</b>	182
<i>Jin Sook Ahn, So Young Sohn</i>	
<b>Comparative analysis of classical and fuzzy PI algorithms</b>	189
<i>Jenica Ileana Corcau, Eleonor Stoenescu, Mihai Lungu</i>	
<b>Stable Relief in feature weighting</b>	193
<i>Omid Khayat, Hamid Reza Shahdoosti, Mohammad Hosein Khosravi</i>	
<b>Image classification using Principal Feature Analysis</b>	198
<i>Omid Khayat, Hamid Reza Shahdoosti, Mohammad Hosein Khosravi</i>	
<b>PART II: Computational Intelligence</b>	205
<b>Probability measures of fuzzy events and linguistic fuzzy modelling - forms expressing randomness and imprecision</b>	207
<i>Anna Walaszek-Babiszewska</i>	
<b>Association-Based Image Retrieval for Automatic Target Recognition</b>	214
<i>Arun Kulkarni, Harikrisha Gunturu, And Srikant Datla</i>	
<b>A Model Constructed Based on Multi-Criteria Decision Making With Incomplete Linguistic Preference Relations</b>	220
<i>Tien-Chin Wang, Shu-Chen Hsu</i>	
<b>Feature Selection Strategies for Poorly Correlated Data: Correlation Coefficient Considered Harmful</b>	226
<i>Silang Luo, David Corne</i>	

<b>Position control of a robotic manipulator using neural network and a simple vision system</b>	232
<i>Bach H. Dinh, Matthew W. Dunnigan, Donald S. Reay</i>	
<b>Clustering with alternative similarity functions</b>	238
<i>Wesam Barbakh and Colin Fyfe</i>	
<b>Optimization of Mine Machine Modes of Operation on the Basis of Fuzzy Logic Technology</b>	245
<i>E.S. Balbino, P.I. Ekel</i>	
<b>Predicting admission counseling triumph of colleges using neural networks</b>	250
<i>Priti Puri, Maitrei Kohli</i>	
<b>Application of the Self Organizing Maps for Visual Reinforcement Learning of Mobile Robot</b>	257
<i>Hiroshi Dozono, Ryouhei Fujiwara and Takeshi Takahashi</i>	
<b>Successful joint venture strategies based on data mining</b>	263
<i>Jin Hyung Kim, So Young Sohn</i>	
<b>Robust decision making using Data Envelopment Analytic Hierarchy Process</b>	269
<i>Subramanian Nachiappan and Ramakrishnan Ramanathan</i>	
<b>Artificial Societies Simulator</b>	276
<i>Monica Dascalu, Eduard Franti, Gheorghe Stefan, Lucian Milea, Marius Stoian</i>	
<b>Using Fuzzy Multiple Criterion Methods for Fourth Party Logistics Criteria Selection</b>	282
<i>Jao-Hong Cheng, Shiuann-Shuoh Chen, Yu-Wei Chuang</i>	
<b>Relative Distance Identification in “Smart Dust” Networks for Environmental Modelling</b>	289
<i>Graham Rollings, David Corne</i>	
<b>Simulator for Production Modeling - Virtual Experiments</b>	295
<i>Monica Dascalu, Eduard Franti, Lucian Milea, Marius Stoian, Gabriel Sebe</i>	
<b>An Alternative Approach for Computing the Union and Intersection of Fuzzy Sets: A Basis for Design of Robust Fuzzy Controllers</b>	301
<i>Vincent O. S. Olunloyo, Abayomi M. Ajofoyinbo, Adedeji B. Badiru</i>	
<b>Image to Sound Transforms and Sound to Image Visualizations based on the Chromaticism of Music</b>	309
<i>Dionysios Politis, Dimitrios Margounakis, Michail Karatsoris</i>	
<b>Predicting the Success of B2B E-commerce in Small and Medium Enterprises: Based on Consistent Fuzzy Preference Relation</b>	318
<i>Wang Tien-Chin, Lin Ying-Ling</i>	

<b>Tabu-based Evolutionary Algorithm with Negative Selection for Pareto optimization in Distributed Systems</b> <i>Jerzy Balicki</i>	327
<b>Implementation of an Autonomous Tracking System for UGVs using FPGAs</b> <i>Akhtar Nawaz, Muhammad Ali, Tipu Qureshi</i>	333
<b>Applying Incomplete Preference Linguistic Relations to Criteria for Evaluating Multimedia Authoring System</b> <i>Tien-Chin Wang, Ying-Hsiu Chen, Yu-Chen Chiang</i>	338
<b>Clustering with an N-Dimensional Extension of Gielis Superformula</b> <i>Angel Kuri Morales, Edwin Aldana Bobadilla</i>	343
<b>Investigating methods for improving Bagged k-NN classifiers</b> <i>Fuad M. Alkoot</i>	351
<b>A Fuzzy Logic Based Hierarchical Driver Aid for Parallel Parking</b> <i>Tarik Ozkul, Muhammed Mukbil, Suheyl Al-Dafri</i>	357
<b>PART III: Knowledge Engineering</b>	363
<b>Peer to Peer Model for Virtual Knowledge Communities</b> <i>Pierre Maret, Julien Subercaze, Jacques Calmet</i>	365
<b>Global Model For Rapid And Easy Learning 2007 – 2020</b> <i>Vinko Viducic</i>	371
<b>A new method for computer aided detection of pulmonary nodules in X-ray CT images</b> <i>Noriyasu Homma, Kazunori Takei, Tadashi Ishibashi</i>	379
<b>Minimal Representation of Type-Hierarchies</b> <i>Richard Elling Moe</i>	385
<b>Generating the Translation Equivalent of Agentive Nouns Using Two-Level Morphology</b> <i>Arbana Kadriu, Lejla Abazi</i>	392
<b>Blending e-Learning and Knowledge Management for Optimizing Learning Paths</b> <i>Dumitru Dan Burdescu, Marian Cristian Mihaescu</i>	396
<b>Social networks, collaboration and groupware software for the scientific research process in the web 2.0 world</b> <i>Serena Pastore</i>	403

<b>Coordination Mechanism for Optimized Provision of Services in an Area</b> <i>Yuki Mori, Fumiko Harada, Hiromitsu Shimakawa</i>	409
<b>Structuring Technological Information for Technology Roadmapping: Data Mining Approach</b> <i>Byungun Yoon, Robert Phaal, David Probert</i>	417
<b>Knowledge organization with pattern recognition in an auto-adaptive system</b> <i>Camille Havas, Othalia Larue, Mickael Camus</i>	423
<b>Aspects Regarding the Use of Sec-Ded Codes to the Cache Level of A Memory Hierarchy</b> <i>Ovidiu Novac, Mircea Vladutiu, Stefan Vari-Kakas, Francisc Ioan Hathhayi, Mihaela Novac</i>	430
<b>The impact of independent model formation on model-based service interoperability</b> <i>Teun Hendriks</i>	434
<b>CKBLS: An Interactive System for Collaborative Knowledge Building and Learning</b> <i>Kathiravelu Ganeshan</i>	442
<b>Productivity Improvement of manufacturing SMEs via Technology Innovation in Korea</b> <i>Min Kyun Doo, So Young Sohn</i>	448
<b>Efficient Determination of the Sequence of Attributes of an N-attributed Database for Obtaining an Optimal Tree Representation</b> <i>Ranjeet Kumar, Preetham Kumar, Ananthanarayana V S</i>	454
<b>IRQAS: Information Retrieval and Question Answering System Based on A Unified Logical-Linguistic Model</b> <i>Tengku M. Sembok, Halimah Badioze Zaman, Rabiah Abdul Kadir</i>	460
<b>An Image Based Interactive Digital Library of Mechanical Engineering Objects</b> <i>Muhammad Abuzar Fahiem, Saadia Jehangir</i>	465
<b>Early Fault Detection using A Novel Spectrum Enhancement Method for Motor Current Signature Analysis</b> <i>Niaoqing Hu, Yue Zhang, Fengshou Gu, Guojun Qin, Andrew Ball</i>	470
<b>Classifier Based Text Mining for Radial Basis Function</b> <i>Govindarajan M, Chandrasekaran RM</i>	476

<b>Appraisal of Course Learning Outcomes using Rasch Measurement: A Case Study in Information Technology Education</b> <i>Azlinah Mohamed, Azrilah Abd Aziz , Sohaimi Zakaria &amp; Mohdsaidfudin Masodi</i>	482
<b>Minimization of OR-XNOR Expressions Using Four New Linking Rules</b> <i>Khalid. Faraj</i>	489
<b>Adaptive Filtering of Heart Rate Variation Signal Based on an Efficient Model</b> <i>S. Seyedtabaai &amp; R. Seyedtabaai</i>	495
<b>Distributed Mining of Censored Production Rules in Data Streams: An Evolutionary Approach</b> <i>Saroj, K. K. Bharadwaj</i>	500
<b>PART IV: Data Bases</b>	507
<b>Extracting data from virtual data warehouses – a practical approach of how to improve query performance</b> <i>Adela Bara, Ion Lungu, Manole Velicanu, Vlad Diaconita, Iuliana Botha</i>	509
<b>Mining Infrequent and Interesting Rules from Transaction Records</b> <i>Alex Tze Hiang Sim, Maria Indrawan, Bala Srinivasan</i>	515
<b>Towards a Network – Oriented System for Cooperative Music Composition</b> <i>Dimitrios Margounakis, Dionysios Politis, Panagiotis Linardis</i>	521
<b>The Romanian Universities in the Process of Data and Information System Integration</b> <i>Ana Ramona Lupu, Razvan Bologa, Gheorghe Sabau, Mihaela Muntean</i>	527
<b>Portal oriented integration in public institutions</b> <i>Diaconita Vlad, Botha Iuliana, Bara Adela, Lungu Ion, Velicanu Manole</i>	532
<b>Complete Algorithm for fragmentation in Data warehouse</b> <i>Ziyati Elhoussaine, Driss Aboutajdine, El Qadi Abderrahim</i>	537
<b>Mathematical model for storing and effective processing of directed graphs in semistructured data management systems</b> <i>Andrei Malikov, Yury Gulevsky, Dmitry Parkhomenko</i>	541
<b>Business Intelligence Solutions For Gaining Competitive Advantage</b> <i>Mihaela Muntean, Gabriela Mircea</i>	549

<b>A web based geoenvironmental data exchange information system</b> <i>Charalampos Stergiopoulos, Panagiotis Tsiakas, Dimos Triantis, Filippos Vallianatos</i>	553
<b>Evaluating Business Intelligence Platforms: a case study</b> <i>Carlo dell'Aquila, Francesco Di Tria, Ezio Lefons, and Filippo Tangorra</i>	558
<b>Holistic Approach for Classifying and Retrieving Personal Arabic Handwritten Documents</b> <i>Salama Brook and Zaher Al Aghbari</i>	565
<b>Web programming for conference and electronic publication management</b> <i>Cioca Marius, Cioca Lucian-Ionel, Gioranu Cosmin</i>	571
<b>Cluster analysis and Association analysis for the same data</b> <i>Huaiguo Fu</i>	576

## Plenary Lecture I

### Toward Human-Level Machine Intelligence



**Professor Lotfi A. Zadeh**

Professor in the Graduate School, Computer Science Division  
Department of Electrical Engineering and Computer Sciences  
University of California  
Berkeley, CA 94720 -1776  
Director, Berkeley Initiative in Soft Computing (BISC)

**Abstract:** Achievement of human-level machine intelligence has profound implications for modern society—a society which is becoming increasingly infocentric in its quest for efficiency, convenience and enhancement of quality of life. Humans have many remarkable capabilities. Among them a capability that stands out in importance is the human ability to perform a wide variety of physical and mental tasks without any measurements and any computations, based on perceptions of distance, speed, direction, intent, likelihood and other attributes of physical and mental objects. A familiar example is driving a car in city traffic. Mechanization of this ability is a challenging objective of machine intelligence. Science deals not with reality but with models of reality. In large measure, models of reality in scientific theories are based on classical, Aristotelian, bivalent logic. The brilliant successes of science are visible to all. But when we take a closer look, what we see is that alongside the brilliant successes there are areas where achievement of human-level machine intelligence is still a distant objective. We cannot write programs that can summarize a book. We cannot automate driving a car in heavy city traffic. And we are far from being able to construct systems which can understand natural language. Why is the achievement of human-level machine intelligence a distant objective? What is widely unrecognized is that one of the principal reasons is the fundamental conflict between the precision of bivalent logic and imprecision of the real world. In the world of bivalent logic, every proposition is either true or false, with no shades of truth allowed. In the real world, as perceived by humans, most propositions are true to a degree. Humans have a remarkable capability to reason and make rational decisions in an environment of imprecision, uncertainty, incompleteness of information and partiality of truth. It is this capability that is beyond the reach of bivalent logic—a logic which is intolerant of imprecision and partial truth. A much better fit to the real world is fuzzy logic. In fuzzy logic, everything is or is allowed to be graduated, that is, be a matter of degree or, equivalently, fuzzy. Furthermore, in fuzzy logic everything is or is allowed to be granulated, with a granule being a clump of elements drawn together by indistinguishability, similarity, proximity or functionality. Graduation and granulation play key roles in the ways in which humans deal with complexity and imprecision. In this connection, it should be noted that, in large measure, fuzzy logic is inspired by the ways in which humans deal with complexity, imprecision and partiality of truth. It is in this sense that fuzzy logic is human-centric. In coming years, fuzzy logic and fuzzy-logic-based methods are likely to play increasingly important roles in achievement of human-level machine intelligence. In addition, soft computing is certain to grow in visibility and importance. Basically, soft computing is a coalition of methodologies which in one way or another are directed at the development of better models of reality, human reasoning, risk assessment and decision making. This is the primary motivation for soft computing—a coalition of fuzzy logic, neurocomputing, evolutionary computing,



probabilistic computing and machine learning. The guiding principle of soft computing is that, in general, better results can be achieved through the use of constituent methodologies of soft computing in combination rather than in a stand-alone mode.

**Brief biography of the speaker:** LOTFI A. ZADEH is a Professor in the Graduate School, Computer Science Division, Department of EECS, University of California, Berkeley. In addition, he is serving as the Director of BISC (Berkeley Initiative in Soft Computing). Lotfi Zadeh is an alumnus of the University of Tehran, MIT and Columbia University. He held visiting appointments at the Institute for Advanced Study, Princeton, NJ; MIT, Cambridge, MA; IBM Research Laboratory, San Jose, CA; AI Center, SRI International, Menlo Park, CA; and the Center for the Study of Language and Information, Stanford University. His earlier work was concerned in the main with systems analysis, decision analysis and information systems. His current research is focused on fuzzy logic, computing with words and soft computing, which is a coalition of fuzzy logic, neurocomputing, evolutionary computing, probabilistic computing and parts of machine learning. Lotfi Zadeh is a Fellow of the IEEE, AAAS, ACM, AAAI, and IFSA. He is a member of the National Academy of Engineering and a Foreign Member of the Russian Academy of Natural Sciences, the Finnish Academy of Sciences, the Polish Academy of Sciences, Korean Academy of Science & Technology and the Bulgarian Academy of Sciences. He is a recipient of the IEEE Education Medal, the IEEE Richard W. Hamming Medal, the IEEE Medal of Honor, the ASME Rufus Oldenburger Medal, the B. Bolzano Medal of the Czech Academy of Sciences, the Kampe de Fieret Medal, the AACC Richard E. Bellman Control Heritage Award, the Grigore Moisil Prize, the Honda Prize, the Okawa Prize, the AIM Information Science Award, the IEEE-SMC J. P. Wohl Career Achievement Award, the SOFT Scientific Contribution Memorial Award of the Japan Society for Fuzzy Theory, the IEEE Millennium Medal, the ACM 2001 Allen Newell Award, the Norbert Wiener Award of the IEEE Systems, Man and Cybernetics Society, Civitate Honoris Causa by Budapest Tech (BT) Polytechnical Institution, Budapest, Hungary, the V. Kaufmann Prize, International Association for Fuzzy-Set Management and Economy (SIGEF), the Nicolaus Copernicus Medal of the Polish Academy of Sciences, the J. Keith Brimacombe IPMM Award, the Silicon Valley Engineering Hall of Fame, the Heinz Nixdorf MuseumsForum Wall of Fame, other awards and twenty-six honorary doctorates. He has published extensively on a wide variety of subjects relating to the conception, design and analysis of information/intelligent systems, and is serving on the editorial boards of over sixty journals.

## Plenary Lecture II

### Decision support systems, human centric/centered computing, and computing with words: a synergistic combination?



**Professor Janusz Kacprzyk**

Fellow of IEEE, IFSA  
Systems Research Institute  
Polish Academy of Sciences  
Ul. Newelska 6  
01-447 Warsaw  
Poland

E-mail: [kacprzyk@ibspan.waw.pl](mailto:kacprzyk@ibspan.waw.pl)

Web page: <https://www.ibspan.waw.pl/~kacprzyk>

**Abstract:** We start with a brief account of complex decision making problems, and advocate the use of modern approaches to real world decision making emphasizing the concept of a decision making process that involves more factors and aspects like: the use of explicit and tacit knowledge, intuition, individual habitual domains, non-trivial rationality, different paradigms, etc. We stress the need for computer based decision support systems that should exhibit some “intelligence” which is meant in an individual and collective perspective, and give an overview of main types of decision support systems. We present some new so-called computing paradigms that try to attain a synergy, and bridge the gap between the human user and computer systems that is mainly caused by the fact that natural language is the only fully natural means of communication and articulation for a human being but it is “strange” to the computer. We advocate the so-called: human centric computing, human centered computing, human computing, etc. that can help bridge this gap. Then, we present Zadeh’s paradigm of computing with words (and perceptions) as a tool that may help bring computing closer to the human being by an explicit use of (quasi)natural language in many phases of computing, problem solving, etc. We indicate relations between the computing with words and human centric computing paradigms, and indicate – first – that the former can be viewed as an attempt at providing proper tools to implement the latter, and that both can play a crucial role in intelligent decision support systems. We show some implementations of using linguistic data summaries in a business context and show that they can be viewed as extremely human consistent data mining tools, notably for novice users.

**Brief biography of the speaker:** Janusz Kacprzyk is Professor of Computer Science at the Systems Research Institute, Polish Academy of Sciences, and Honorary Professor at the Department of Mathematics, Yli Normal University, Shanxi, China. He has been a visiting professor at many universities in the USA, England, Italy and Mexico. He is Academician (Member of the Polish Academy of Sciences). His research interests include intelligent systems, soft computing, fuzzy logic, decision making, decision analysis and decision support, database querying, information retrieval, data analysis, data mining, etc. He is President of IFSA (International Fuzzy Systems Association), and President of the Polish Society for Operational and Systems Research. He is Fellow of IEEE and IFSA. He received The 2005 IEEE CIS Fuzzy Pioneer Award for pioneering works on multistage fuzzy control, notably fuzzy dynamic programming, and The Sixth Kaufmann Prize and Gold Medal for pioneering works on the use of fuzzy logic in economy and management. His publication record is: 5 books, 30 volumes, 300 papers. He is Editor in chief of 3 Springer’s book series, and a co-editor of one Springer book series, is on the editorial boards of ca. 30 journals, and was a member of the IPC at more than 200 conferences.

## Plenary Lecture III

### Clustering with an N-Dimensional Extension of Gielis Superformula



**Professor Angel Kuri-Morales**  
Instituto Tecnológico Autónomo de México  
México

**Abstract:** One of the most important issues regarding the analysis of raw data is the adequate identification of groups within such data. There have been many attempts to define a measure of what is “adequate” clustering. In all published cases, however, the adequateness of a cluster depends on a measure of distance chosen a priori. A metric or distance function is a function which defines a distance between elements of a set (for instance, one of the  $L_n$  family or Mahalanobis’ distances have been utilized). Once a metric has been defined it remains to prove that the resulting clusters do, indeed, correspond to a proper classification. An obvious disadvantage of this methodology is, however, that in the space of the metric all clusters are hyperspherical. The shortcoming is that this fact immediately invalidates the attempt to find irregular shapes in such N-dimensional space. A metric induces a topology on a set but not all topologies can be generated by a metric. Topological unmetrisable spaces correspond, in this case, to a family of formulas developed originally by Gielis which he called a “superformula” (S). By replacing a metric by the elements of the hull defined by S we allow the search for more general shapes for our clusters. We report on the application of Vasconcelos Genetic Algorithm to find the parameters of S whose hulls encompass a large number of observations and the application of this method to data mining.

**Brief biography of the speaker:** Angel Fernando Kuri-Morales is an Engineer in Electronics by the Universidad Anahuac in Mexico City. He got a M.Sc. degree from the University of Illinois and a Ph.D. from Kennedy-Western University. He is the author of two text books and more than 70 articles published in international magazines and conferences. He is a member of the National System of Researchers (SNI). He won an international prize for the best solution to the "Iterated Prisoner's Dilemma" during the International Congress on Evolutionary Computation in 2000. He has been included in “Who is Who in the World” in 1988, 1998, 2000, 2002, 2003 and 2007. He received the best paper award during the 7th Industrial Conference in Data Mining, Leipzig, Germany. He has been president of several International Congresses, and invited speaker in many national and international scientific events. He belongs to the Evaluating Committee in the Area of Computer Science of CONACYT (the National Council for Science and Technology in Mexico). He was founder partner of Micromex, Inc. and IDET, Inc. and Director of Applied Research in the Center for Research in Computation of the National Polytechnic Institute. He is a Distinguished Lecturer of the Association for Computing Machinery (ACM) and member of the Scientific Committee of the World Scientific and Engineering Academy and Society (WSEAS). Currently he is the member of the Board of IBERAMIA, President of the Mexican Society for Artificial Intelligence and Professor in the Autonomous Technological Institute of Mexico (ITAM).

## Plenary Lecture IV

### Data Mining through Data Visualisation: Computational Intelligence Approaches



**Professor Colin Fyfe**  
University of the West of Scotland  
UK

**Abstract:** One of the major tasks today is to create information from data. We do not mean to define information in terms of Shannon or indeed any other mathematical definition but information in terms of the subjective experience of a viewer of the data. People (and probably animals) are very good at pattern recognition; we are far more robust pattern matchers than any current computer programs. Increasingly however, we are dealing with high dimensional (and often high volume) data so to gain intuitions about a data set, we often project data onto low dimensional manifolds. One question which arises then, is what projections to low dimensional manifolds are best in order to present the projected data to a human user. We illustrate several projections which have been found by artificial neural network extensions of Hebbian learning. We then show examples of similar projections found by reinforcement learning; our rationale in this case is that we have agents interacting proactively with a database examining different projections and, without human intervention, getting rewards when the projections reveal some interesting structure. We then give examples of the same projections found by other computational intelligence methods such as the cross entropy method and artificial immune systems. We then examine projections to nonlinear manifolds and show that with a particular model of an underlying latent space, we may identify clusters in data sets when such clusters are not visible in any low dimensional linear projection. Finally we review different data representation techniques: we begin with parallel coordinates and point out some difficulties with this method before reviewing Andrews' Curves, a method from the 1970s which has only become truly practicable with the advent of modern desktop computers. An extension to this method came from Wegman and his colleagues in the 1990s. We also discuss a more recent extension and illustrate three dimensional projections of data samples dancing together.

**Brief biography of the Speaker:** Colin Fyfe completed his PhD in 1995 in artificial neural networks and has since supervised 16 completed PhDs in neural networks, evolutionary computation and probabilistic modelling. He is on the Editorial Board of several neural network and wider computational intelligence journals, and has been Honorary Chair of several international conferences. He has published over 300 refereed conference and journal papers, many book chapters and three books and is Series Co-Editor of the series "Computational Intelligence: Theory and Applications" with IGI International. He has given plenary talks at several international conferences and been visiting professor at universities in Australia, Korea, China, Taiwan and Spain. He is currently a Personal Professor at the University of the West of Scotland.

## Plenary Lecture V

### Formalisation and Verification in a Type-theoretic Framework



**Professor Zhaohui Luo**

Dept. of Computer Science  
Royal Holloway, Univ of London  
UK

E mail: [zhaohui@cs.rhul.ac.uk](mailto:zhaohui@cs.rhul.ac.uk)

Web site: <http://www.cs.rhul.ac.uk/home/zhaohui/>

**Abstract:** Dependent type theory provides a powerful logical calculus for computer-assisted formal reasoning. The associated technology of theorem proving has produced very useful tools, the so-called “proof assistants”, for formal proof development both in verification of programs and in formalisation of mathematics. After giving an overview of the research field, I shall present a new type-theoretic framework LTT and explain its use in formalisation and verification. The particular features of the LTT framework include: LTT is a foundational calculus for formal reasoning with different logical foundations, establishing the basis for wider applications of the type theory based theorem proving technology. LTT employs a notion of “typed set”, combining type-theoretical reasoning with set-theoretical reasoning in an effective way and supporting efficient proof development in formalisation and verification. As a promising framework, LTT has been used in several case studies, including the formalisation of Weyl’s predicative mathematics and the analysis of security protocols.

**Brief Biography of the Speaker:** Zhaohui Luo is Professor of Computer Science at Royal Holloway, University of London. He has obtained the PhD degree in Computer Science at University of Edinburgh and worked as Lecturer, Reader and Professor in University of Durham, before going to Royal Holloway. Luo’s research interests in the last twenty years have focussed on the study of type theory and its applications. His publications include two authored books on type theory and programming methodology.

## Plenary Lecture VI

### Probability Measures of Fuzzy Events and Linguistic Fuzzy Modelling - Forms Expressing Randomness and Imprecision



**Professor Anna Walaszek-Babiszewska**

PhD, DSc, prof. at the Opole University of Technology,  
Department of Control and Computer Engineering,  
Poland

E mail: [a.walaszek-babiszewska@po.opole.pl](mailto:a.walaszek-babiszewska@po.opole.pl)

**Abstract:** Statistical methods have a long history of applications to data analysis and modelling in many fields of human activities, as financial markets, business, optimal control. Zadeh's theory of fuzzy systems, soft computing and computing with words gave possibilities of utilising many approaches to modelling, taking into account different types of uncertainties, especially, human knowledge and perception expressed imprecisely in linguistic categories. The sets of numerical data, collected in many real systems, and expert's experiences would be very useful to modelling both randomness and imprecision. Starting with the reminding the basic notions of probability of fuzzy events, we define probability distributions of a linguistic variable and a linguistic vector as well as a mean fuzzy value (a mean fuzzy set) of the linguistic variable. We formulate also a stochastic process with fuzzy states. The next, we try to modelling randomness and imprecision, using linguistic fuzzy models with weights of rules. A structure of the fuzzy model is predefined at the beginning of the task. Probability of fuzzy events has been used to formulate probabilities of the occurrence linguistic values of input and output variables in a product-space. Marginal probabilities of linguistic values of input variables are the weights of file rules. Conditional probabilities of linguistic values of the output variable are the weights in the consequence of elementary rules. The inference procedures are proposed and exemplary calculations are presented.

**Brief Biography of the Speaker:** Anna Walaszek-Babiszewska, at present, is a professor at the Opole University of Technology, Department of Control and Computer Engineering. She has obtained a MSc degree in Control Engineering from the Wroclaw University of Technology and a PhD as well as a DSc (Habilitation) degrees from the Silesian University of Technology in Gliwice, Poland. Her research interests include stochastic modeling, fuzzy systems, data analysis, and applications in technological and managerial situations. She has supervised 3 completed PhDs and reviewed 5 PhDs in technical and economic sciences. She has published 2 monographic books on stochastic and fuzzy modeling and over 80 scientific papers. She is a member of the Editorial Boards of Management (since 2000) and of Lecture Notes in Control and Computer Science (in 2003) of the University of Zielona Gora Press. She is a member of the Section of Cybernetics in Mining, Mining Committee of the Polish Academy of Sciences (since 1999).